

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 11/15/2018

SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: ENVIRO GREEN CLEANER
Product code	: CC103
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against
Use of the substance/mixture	: Toilet cleaners (acid)
1.3. Details of the supplier of the safety	data sheet
COMPETITIVE CHOICE, INC. PO Box 35743 Houston, TX, 77235	
<u>T: 713-838-1144</u>	
1.4. Emergency telephone number	
Emergency number	: 800-255-3924
SECTION 2: Hazards identification	
2.1. Classification of the substance or m	ixture
GHS-US classification	
Skin Corr. 1A	H314
Eye Dam. 1	H318
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	: GH505
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Causes severe skin burns and eye damage Causes serious eye damage
Precautionary statements (GHS-US)	<ul> <li>Do not breathe vapours, spray, mist</li> <li>Wash hands thoroughly after handling</li> <li>Wear eye protection, protective gloves</li> <li>If swallowed: rinse mouth. Do NOT induce vomiting</li> <li>If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>Immediately call a doctor</li> <li>Specific treatment (see First Aid measures on this label)</li> <li>Wash contaminated clothing before reuse</li> <li>Store locked up</li> <li>Dispose of contents/container to an approved waste disposal plant</li> </ul>

 2.3.
 Other hazards

 No additional information available

 2.4.
 Unknown acute toxicity (GHS US)

 Not applicable

Safety Data Sheet

#### according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SECTION 3: Composition/information on ingredients 3.1. **Substance** Not applicable 3.2. Mixture Name Product identifier % **GHS-US** classification Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 (CAS No) 67-63-0 0.1 - 1 2-propanol Full text of H-phrases: see section 16 **SECTION 4: First aid measures Description of first aid measures** 4.1. : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical First-aid measures general advice (show the label where possible). : Allow victim to breathe fresh air. Allow the victim to rest. First-aid measures after inhalation First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use. 4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand. Suitable extinguishing media Unsuitable extinguishing media : Do not use a heavy water stream. Special hazards arising from the substance or mixture 5.2. No additional information available 53 Advice for firefighters : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any **Firefighting instructions** chemical fire. Prevent fire-fighting water from entering environment. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel Emergency procedures : Evacuate unnecessary personnel. 612 For emergency responders : Equip cleanup crew with proper protection. Protective equipment Ventilate area. Emergency procedures 6.2. **Environmental precautions** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 6.3 Methods and material for containment and cleaning up

<b>_</b>	
For containment :	Dam up the liquid spill.
Methods for cleaning up :	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

**Reference to other sections** 6.4.

See Heading 8. Exposure controls and personal protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking.
7.2. Conditions for safe storage, including	ng any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use. Keep in fireproof place.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Direct sunlight. Heat sources.
7.3. Specific end use(s)	

#### No additional information available

ECTION 8: Exposure controls/personal protection			
8.1. Control parameters	i de la construcción de la constru		
ENVIRO GREEN CLEANER			
ACGIH	Not applicable		
OSHA	OSHA Not applicable		
2-propanol (67-63-0)			
ACGIH	ACGIH TWA (ppm)	200 ppm	
ACGIH	ACGIH STEL (ppm)	400 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair	
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	980 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	400 ppm	

#### 8.2. **Exposure controls**

Personal protective equipment

: Safety glasses. Gloves.



Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Colour	: Green
Odour	: mint
Odour threshold	: No data available
рН	: <1
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Solubility	<ul> <li>Water: Solubility in water of component(s) of the mixture :</li> <li>nonylphenoxypoly(ethyleneoxy)ethanol: soluble • xanthan gum: Complete • 2-propanol: Complete</li> </ul>
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

#### 9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	itional information available
10.2.	Chemical stability
Combu	stible liquid. May form flammable/explosive vapour-air mixture.
10.3.	Possibility of hazardous reactions
Not esta	ablished.
10.4.	Conditions to avoid
Direct s	unlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.
10.5.	Incompatible materials
Strong	acids. Strong bases.
10.6.	Hazardous decomposition products
Carlas	menevide. Cathen diavide May release flowmable seese

Carbon monoxide. Carbon dioxide. May release flammable gases.

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity

: Not classified

2-propanol (67-63-0)	
LD50 oral rat	5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg bodyweight; Rat)
LD50 dermal rabbit	12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)
LC50 inhalation rat (mg/l)	73 mg/l/4h (Rat)
ATE US (oral)	5045.000 mg/kg bodyweight
ATE US (dermal)	12870.000 mg/kg bodyweight
ATE US (vapours)	73.000 mg/l/4h
ATE US (dust,mist)	73.000 mg/l/4h
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
	pH: < 1
Serious eye damage/irritation	: Causes serious eye damage.
	pH: < 1
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
2-propanol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
04/10/2015	EN (English) 4

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Detertial advance human health affects and	. Deced on evolution data the electricities exiteria are not not

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met.

ECTION 12: Ecological information	on
2.1. Toxicity	
2-propanol (67-63-0)	
LC50 fish 1	4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)
EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)
LC50 fish 2	9640 mg/l (96 h; Pimephales promelas; Lethal)
EC50 Daphnia 2	13299 mg/l (48 h; Daphnia magna)
Threshold limit algae 1	> 1000 mg/l (72 h; Scenedesmus subspicatus; Growth rate)
Threshold limit algae 2	1800 mg/l (72 h; Algae; Cell numbers)
2.2. Persistence and degradability	
ENVIRO GREEN CLEANER	
Persistence and degradability	Not established.
2-propanol (67-63-0)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available. Not established
Biochemical oxygen demand (BOD)	1.19 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.23 g O₂/g substance
ThOD	2.40 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.49 % ThOD
2.3. Bioaccumulative potential	
ENVIRO GREEN CLEANER	
Bioaccumulative potential	Not established.
2-propanol (67-63-0)	
Log Pow	0.05 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4). Not established.
2.4. Mobility in soil	
2-propanol (67-63-0)	
Surface tension	0.021 N/m (25 °C)
2.5. Other adverse effects	
ffect on the global warming	: No known ecological damage caused by this product.
Other information	: Avoid release to the environment.
ECTION 13: Disposal considerati	ons
3.1. Waste treatment methods	
Vaste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant.
dditional information	: Handle empty containers with care because residual vapours are flammable.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 14: Transport information**

ansport document description I-No.(DOT) oper Shipping Name (DOT) ansport hazard class(es) (DOT) izard labels (DOT)	<ul> <li>NA1760 Compounds, cleaning liquid, 8, III</li> <li>NA1760</li> <li>Compounds, cleaning liquid</li> <li>8 - Class 8 - Corrosive material 49 CFR 173.136</li> </ul>
oper Shipping Name (DOT) ansport hazard class(es) (DOT)	: Compounds, cleaning liquid
ansport hazard class(es) (DOT)	
	: 8 - Class 8 - Corrosive material 49 CFR 173.136
izard labels (DOT)	
	: 8 - Corrosive LTD QTY - Limited quantity
cking group (DOT)	: III - Minor Danger
OT Packaging Bulk (49 CFR 173.xxx)	: 241
DT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
OT Packaging Exceptions (49 CFR 173.xxx)	: 154
DT Quantity Limitations Passenger aircraft/rai 9 CFR 173.27)	il : 5L
DT Quantity Limitations Cargo aircraft only (4 R 175.75)	9 : 60 L
OT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
OT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Iditional information	
nergency Response Guide (ERG) Number	: 154
her information	: No supplementary information available.
DR	
additional information available	
ansport by sea	
I-No. (IMDG)	: 1760
oper Shipping Name (IMDG)	: CORROSIVE LIQUID, N.O.S.
ass (IMDG)	: 8 - Corrosive substances
cking group (IMDG)	: III - substances presenting low danger
r transport	
I-No.(IATA)	: 1760
oper Shipping Name (IATA)	: Corrosive liquid, n.o.s.
ass (IATA)	8 - Corrosives
cking group (IATA)	: III - Minor Danger

**ENVIRO GREEN CLEANER** 

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372. CAS No 67-63-0 0.1 - 1

2-propanol
------------

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2-propanol (67-63-0)

#### Listed on United States SARA Section 313

#### 15.2. International regulations

**CANADA** No additional information available

EU-Regulations No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP] No additional information available

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified

National regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

#### 2-propanol (67-63-0)

U.S. - New Jersey - Right to Know Hazardous Substance List

#### **SECTION 16: Other information**

Other information

: None.

#### Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

NFPA health hazard
 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
 NFPA fire hazard
 0 - Materials that will not burn.
 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.

 HMIS III Rating
 : 2 Moderate Hazard - Temporary or minor injury may occur

 Flammability
 : 0 Minimal Hazard - Materials that will not burn

 Physical
 : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

 Personal Protection
 : B

 B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product