

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Competitive Choice Inc.  
Product name : HYDRO BLAST  
Product code : CC107

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

COMPETITIVE CHOICE, INC.  
PO BOX 35743  
HOUSTON, TX 77235  
T 713-838-1144  
F 713-838-1188

#### 1.4. Emergency telephone number

Emergency number : 800-255-3924

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Skin Corr. 1B H314  
Eye Dam. 1 H318

Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labelling

Hazard pictograms (GHS-US) :



GHS07

Signal word (GHS-US) :

Warning

Hazard statements (GHS-US) :

Causes skin irritation  
Causes serious eye damage

Precautionary statements (GHS-US) :

Do not breathe vapours, spray, mist  
Wash hands thoroughly after handling  
Wear eye protection, protective gloves  
If swallowed: rinse mouth. Do NOT induce vomiting  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
If inhaled: Remove person to fresh air and keep comfortable for breathing  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a doctor  
Wash contaminated clothing before reuse  
Store locked up  
Dispose of contents/container to an approved waste disposal plant  
See first aid section of this material safety data sheet

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# HYDRO BLAST

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
disodium metasilicate, pentahydrate	(CAS No) 10213-79-3	7 - 8	Skin Corr. 1B, H314 STOT SE 3, H335
EDTA; tetrasodium ethylenediaminetetracetate	(CAS No) 64-02-8	3 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
sodium xylenesulfonate	(CAS No) 1300-72-7	3 - 4	Skin Irrit. 2, H315 STOT SE 3, H335 Eye Irrit. 2A, H319
sodium nitrite	(CAS No) 7632-00-0	0.1 - 1	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301 Aquatic Acute 1, H400

Full text of H-phrases: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes skin irritation.
- Symptoms/injuries after eye contact : Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

- Reactivity : Corrosive vapours.

#### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# HYDRO BLAST

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not breathe vapours, spray, mist.

Hygiene measures : Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

HYDRO BLAST	
ACGIH	Not applicable
OSHA	Not applicable
sodium nitrite (7632-00-0)	
ACGIH	Not applicable
OSHA	Not applicable
EDTA; tetrasodium ethylenediaminetetracetate (64-02-8)	
ACGIH	Not applicable
OSHA	Not applicable
sodium xylenesulfonate (1300-72-7)	
ACGIH	Not applicable
OSHA	Not applicable
disodium metasilicate, pentahydrate (10213-79-3)	
ACGIH	Not applicable
OSHA	Not applicable

### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

# HYDRO BLAST

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Colour	: Blue
Odour	: slight
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Relative vapour density at 20 °C	: No data available
Solubility	: Water: Solubility in water of component(s) of the mixture : • sodium nitrite: 82 g/100ml • sodium sulfite, anhydrous: 23 g/100ml • EDTA; tetrasodium ethylenediaminetetracetate: 103 g/100ml • butyl glycoether: Complete • disodium metasilicate, pentahydrate: 17.5 g/100ml
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive vapours.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapours.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

sodium nitrite (7632-00-0)	
LD50 oral rat	180 mg/kg (Rat; Other; Experimental value)
LC50 inhalation rat (mg/l)	5.5 mg/l/4h (Rat; Literature study)
ATE US (oral)	180.000 mg/kg bodyweight
ATE US (vapours)	5.500 mg/l/4h

# HYDRO BLAST

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>sodium nitrite (7632-00-0)</b>	
ATE US (dust,mist)	5.500 mg/l/4h

<b>EDTA; tetrasodium ethylenediaminetetracetate (64-02-8)</b>	
LD50 oral rat	> 2000 mg/kg (Rat)
ATE US (oral)	500.000 mg/kg bodyweight

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after eye contact	: Causes serious eye damage.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>sodium nitrite (7632-00-0)</b>	
LC50 fish 1	40.6 mg/l (96 h; Channa punctatus; Nitrite)
EC50 Daphnia 1	12.5 - 100 mg/l (48 h; Daphnia magna; Nitrite)
EC50 other aquatic organisms 1	20 mg/l (Protozoa; Toxicity test)
LC50 fish 2	0.56 - 1.78 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)
EC50 Daphnia 2	66 mg/l (48 h; Daphnia magna; Nitrogen)
TLM fish 1	7.5 ppm (48 h; Gambusia affinis)
Threshold limit algae 1	1230 mg/l (192 h; Scenedesmus quadricauda; Nitrite)
Threshold limit algae 2	350 mg/l (192 h; Microcystis aeruginosa; Nitrite)

<b>EDTA; tetrasodium ethylenediaminetetracetate (64-02-8)</b>	
LC50 fish 1	121 mg/l (96 h; Lepomis macrochirus; Soft water)
EC50 Daphnia 1	625 mg/l (24 h; Daphnia magna)
LC50 fish 2	374 - 792 mg/l (96 h; Lepomis macrochirus; pH > 7)
Threshold limit algae 1	> 100 mg/l (72 h; Scenedesmus subspicatus; Growth)

<b>disodium metasilicate, pentahydrate (10213-79-3)</b>	
LC50 fish 1	210 mg/l (96 h; Brachydanio rerio; Anhydrous form)
EC50 Daphnia 1	216 mg/l (96 h; Daphnia magna; Anhydrous form)
LC50 fish 2	2320 mg/l (96 h; Gambusia affinis; Anhydrous form)
EC50 Daphnia 2	632 mg/l (96 h; Lymnaea sp.; Anhydrous form)

### 12.2. Persistence and degradability

<b>HYDRO BLAST</b>	
Persistence and degradability	Not established.

<b>sodium nitrite (7632-00-0)</b>	
Persistence and degradability	Biodegradable in water. Autooxidation in water. No (test)data on mobility of the substance available.

<b>EDTA; tetrasodium ethylenediaminetetracetate (64-02-8)</b>	
Persistence and degradability	Not readily biodegradable in water. Not established.
Biochemical oxygen demand (BOD)	< 0.002 g O <sub>2</sub> /g substance

# HYDRO BLAST

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>EDTA; tetrasodium ethylenediaminetetracetate (64-02-8)</b>	
Chemical oxygen demand (COD)	0.54 - 0.58 g O <sub>2</sub> /g substance
<b>sodium xylenesulfonate (1300-72-7)</b>	
Persistence and degradability	Biodegradability in water: no data available. Not established.
<b>disodium metasilicate, pentahydrate (10213-79-3)</b>	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

### 12.3. Bioaccumulative potential

<b>HYDRO BLAST</b>	
Bioaccumulative potential	Not established.
<b>sodium nitrite (7632-00-0)</b>	
BCF fish 1	11.3 <i>Salmo gairdneri</i> ( <i>Oncorhynchus mykiss</i> )
Log Pow	-3.7 (Experimental value; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>EDTA; tetrasodium ethylenediaminetetracetate (64-02-8)</b>	
Log Pow	-2.6
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
<b>sodium xylenesulfonate (1300-72-7)</b>	
Bioaccumulative potential	No bioaccumulation data available. Not established.
<b>disodium metasilicate, pentahydrate (10213-79-3)</b>	
Bioaccumulative potential	No bioaccumulation data available.

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to an approved waste disposal plant.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

### Additional information

Other information : No supplementary information available.

### ADR

No additional information available

### Transport by sea

No additional information available

# HYDRO BLAST

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Air transport

No additional information available

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### HYDRO BLAST

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

disodium metasilicate, pentahydrate	CAS No 10213-79-3	7 - 8
-------------------------------------	-------------------	-------

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

sodium nitrite	CAS No 7632-00-0	0.1 - 1
----------------	------------------	---------

#### sodium nitrite (7632-00-0)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb
--------------------------------------------------------------	--------

### 15.2. International regulations

#### CANADA

No additional information available

#### EU-Regulations

No additional information available

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

No additional information available

#### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

#### National regulations

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

#### sodium nitrite (7632-00-0)

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

Other information : None.

# HYDRO BLAST

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Full text of H-phrases:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Ox. Sol. 3	Oxidising Solids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life

### NFPA health hazard


: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

### NFPA fire hazard

: 0 - Materials that will not burn.

### NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



### HMIS III Rating

#### Health

: 1 Slight Hazard - Irritation or minor reversible injury possible

#### Flammability

: 0 Minimal Hazard - Materials that will not burn

#### Physical

: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

### Personal Protection

: B

B - Safety glasses, Gloves

### SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*