# Safety Data Sheet

## **SECTION 1: Product and company identification**

Product name : Germ Buster
Use of the substance/mixture : Premoistened wipe

Product code : CC173

Company : Competitive Choice Inc.

PO Box 35743

Houston, TX 77235-5743 - USA

T (713) 838-1144

Emergency number : Chemtrec: 800-255-3924

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Flam. Sol. 2 H228 Eye Irrit. 2 H319 STOT SE 3 H336

#### 2.2. Label elements

#### **GHS-US labeling**

Hazard pictograms (GHS-US)





GHS02 GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : Flammable solid

Causes serious eye irritation May cause drowsiness or dizziness

Precautionary statements (GHS-US) : Keep away from heat, open flames, sparks. - No smoking

Ground/Bond container and receiving equipment

Use explosion-proof electrical, lighting, ventilating equipment

Avoid breathing mist, vapors Wash thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear eye protection, protective clothing, protective gloves

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

Call a doctor, a POISON CENTER if you feel unwell If eye irritation persists: Get medical advice/attention

In case of fire: Use water to extinguish

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Dispose of contents/container to comply with local/regional/national/international regulations

## 2.3. Other hazards

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

Not applicable

# **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

Full text of H-phrases: see section 16

## 3.2. Mixtures

Date of issue: 11/26/2018 Revision date: 08/17/2017 Version: 1.3 P GHS SDS Page 1 of 6

## Safety Data Sheet

Name	Product identifier	%	GHS-US classification
ethanol	(CAS No) 64-17-5	60 - 100	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Linear Alcohol Ethoxylate	(CAS No) 34398-01-1	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove the victim into fresh air.

First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with

water/shower.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for

several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth with water. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact : Contact during a long period may cause slight irritation.

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms/effects after ingestion : Gastrointestinal complaints.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor.

Reactivity : Upon combustion: CO and CO2 are formed.

### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

# 6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

### 6.4. Reference to other sections

No additional information available

Date of issue: 11/26/2018 Revision date: 08/17/2017 Version: 1.3 P GHS SDS Page 2 of 6

# Safety Data Sheet

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Keep container tightly closed.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use.

Incompatible products : Oxidizing agent.

Information on mixed storage : KEEP SUBSTANCE AWAY FROM: oxidizing agents.

Storage area : Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.

Special rules on packaging : meet the legal requirements.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

ethanol (64-17-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
ACGIH	Remark (ACGIH)	URT irr
OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

#### 8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Premoistened wipe.

Odor : Pleasant scent

Odor threshold : No data available

pH : No data available

Melting point : No data available

Freezing point : No data available

Treezing point : No data available

Boiling point : > 95 °F

Flash point : 70 °F Closed Cup - Tested using the liquid component of the towelette

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available **Explosion limits** : No data available Explosive properties : No data available : No data available Oxidizing properties : No data available Vapor pressure Relative density : No data available Relative vapor density at 20 °C : No data available Specific gravity / density : 0.88 g/ml

Solubility : Liquid component is soluble in water.

Log Pow : No data available
Log Kow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

Date of issue: 11/26/2018 Revision date: 08/17/2017 Version: 1.3 P GHS SDS Page 3 of 6

# Safety Data Sheet

Viscosity, kinematic : No data available Viscosity, dynamic : No data available

VOC content : < 75 % - Tested using the liquid component of the towelette

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Upon combustion: CO and CO2 are formed.

#### 10.2. Chemical stability

No additional information available

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Linear Alcohol Ethoxylate (34398-01-1)		
LD50 oral rat	> 1400 mg/kg	
ethanol (64-17-5)		
LD50 oral rat	10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)	
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)	
ATF CLP (oral)	10740 ma/ka body weight	

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

 $\label{thm:continuous} Specific target organ toxicity-single exposure \ : \ May cause drowsiness or dizziness.$ 

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact : Contact during a long period may cause slight irritation.

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms/effects after ingestion : Gastrointestinal complaints.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Linear Alcohol Ethoxylate (34398-01-1)		
LC50 fish 1	< 10 mg/l	
EC50 Daphnia 1	< 10 mg/l	
ErC50 (algae)	< 10 mg/l	
ethanol (64-17-5)		

Date of issue: 11/26/2018 Revision date: 08/17/2017 Version: 1.3 P GHS SDS Page 4 of 6

# Safety Data Sheet

ethanol (64-17-5)	
LC50 fish 1	14200 mg/l (LC50; US EPA; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)

#### 12.2. Persistence and degradability

ethanol (64-17-5)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.	
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O₂/g substance	
Chemical oxygen demand (COD)	1.7 g O₂/g substance	
ThOD	2.1 g O₂/g substance	
BOD (% of ThOD)	0.43	

### 12.3. Bioaccumulative potential

ethanol (64-17-5)	
BCF fish 1	1 (BCF; Other; 72 h; Cyprinus carpio; Static system; Fresh water; Read-across)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Do not flush wipes. Dispose of contents/container to comply with Waste treatment methods

local/regional/national/international regulations.

Product/Packaging disposal

recommendations

: Dispose in a safe manner in accordance with local/national regulations.

### **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

Transport document description : UN3175 Solids containing flammable liquid, n.o.s. (Ethanol), 4.1, II

UN-No.(DOT) : UN3175

Proper Shipping Name (DOT) : Solids containing flammable liquid, n.o.s.

: 4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124 Class (DOT)

Hazard labels (DOT) 4.1 - Flammable solid



Packing group (DOT) : II - Medium Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 212 DOT Packaging Bulk (49 CFR 173.xxx) : 240

**DOT Symbols** : G - Identifies PSN requiring a technical name

DOT Special Provisions (49 CFR 172.102) : 47,IB6,IP2,T3,TP33

DOT Packaging Exceptions (49 CFR

173.xxx)

: 151

**DOT Quantity Limitations Passenger** 

aircraft/rail (49 CFR 173.27)

: 15 kg

DOT Quantity Limitations Cargo aircraft

: 50 kg

only (49 CFR 175.75)

**DOT Vessel Stowage Location** : B

**Additional information** 

Other information

Emergency Response Guide (ERG)

: 133

Number

: This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D

utilizing the exception found at 49 CFR 173.151.

P GHS SDS Date of issue: 11/26/2018 Revision date: 08/17/2017 Version: 1.3 Page 5 of 6

# Safety Data Sheet

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

## **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Linear Alcohol Ethoxylate (34398-01-1)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity.

### **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

### Full text of H-phrases:

and a second sec	
H225	Highly flammable liquid and vapor
H228	Flammable solid
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness


NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary

combustible materials.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all

 $ambient \ temperature \ conditions.$ 

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Date of issue: 11/26/2018 Revision date: 08/17/2017 Version: 1.3 P GHS SDS Page 6 of 6