

Safety Data Sheet

Issue date 23-May-2019 Version 2

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

Product name CHAMPION SPRAYON SPRAY SCENTS METERED AIR FRESHENER/DEODORIZER

PIÑA COLADA

Chemical name 7-8165

Other means of identification

Product code FG 438-5180-6 Synonyms Metered Air Freshener

Recommended use of the chemical and restrictions on use

Recommended Use Room Deodorizer.

Uses advised against Do not spray on varnished, painted or plastic surfaces.

Details of the supplier of the safety data sheet

Supplier Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

Manufacturer Address
Chase Products Co.
2727 Gardner Road
Broadview, IL 60155
708-865-1000

Emergency Telephone Number

Company Phone Number 708-865-1000 **24 Hour Emergency Phone Number** 1-800-255-3924

Emergency telephone ChemTel 1-800-255-3924

2. Hazards Identification

Classification

| Acute toxicity - Inhalation (Gases) | Category 4 |
|--|---------------|
| Serious eye damage/eye irritation | Category 2 |
| Specific target organ toxicity (single exposure) | Category 3 |
| FLAMMABLE AEROSOLS | Category 1 |
| Gases Under Pressure | liquefied gas |

Label Elements

EMERGENCY OVERVIEW

DANGER

hazard statements

HARMFUL IF INHALED
Causes serious eye irritation
May cause drowsiness or dizziness
EXTREMELY FLAMMABLE AEROSOL

Contains gas under pressure; may explode if heated



Appearance Clear liquid that will be Physical State Aerosol Odor Perfumed. aerosolized.

Precautionary Statements - Prevention

Avoid breathing fumes, mist, vapors or spray.

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection.

Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

- MAY BE HARMFUL IF SWALLOWED
- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

_

3. Composition/information on Ingredients

Synonyms Metered Air Freshener.

Chemical FamilyMIXTURES.Formula7-8165

| Chemical name | CAS No | weight-% | Trade secret |
|---|------------|----------|--------------|
| Acetone | 67-64-1 | 25-30 | * |
| Diethylene Glycol Monoethyl Ether | 111-90-0 | 20-25 | * |
| N-Butane | 106-97-8 | 15-20 | * |
| 1,1-Difluoroethane | 75-37-6 | 10-15 | * |
| Propane | 74-98-6 | 5-10 | * |
| Petroleum distillates, hydrotreated light | 64742-47-8 | 1-5 | * |

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye Contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact In case of contact, immediately flush skin with plenty of water. Wash skin with soap and

water. If irritation develops, consult a physician.

Inhalation If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

Ingestion Ingestion from an aerosol product is unlikely to occur. Contains petroleum distillates.

Harmful if swallowed. If accidentally swallowed, do not induce vomiting, call physician

immediately.

Most important symptoms and effects, both acute and delayed

Symptoms Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness

and nausea. Prolonged and repeated contact with skin may cause irritation and reddening.

Contact with eyes causes irritation.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

This product is under pressure. Water spray may be used to cool cans in the vicinity of fire or excessive heat to prevent the explosion of the cans.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide, carbon dioxide, hydrofluoric

acid and carbonyl halides.

Explosion data

Sensitivity to Mechanical Impact Contents are under pressure. Handle an extremely flammable material. Follow label

directions for correct installation and placement of dispenser. Store cans in a cool, dry place

away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For emergency responders Remove all sources of ignition.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for safe handling

Advice on safe handling Handle as an extremely flammable material. Follow label directions for correct installation

and placement of dispenser. Store cans in a cool, dry place away from heat and open

flame.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). AEROSOL STORAGE LEVEL III (NFPA-30B).

Incompatible Materials Avoid heat, open flame and contact with strong oxidizers, inorganic acids and halogens.

8. Exposure Controls/Personal Protection

Control parameters

Exposure guidelines See occupational exposure limits listed below.

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|---------------------------|---|-----------------------------|
| Acetone | STEL: 500 ppm | TWA: 1000 ppm | IDLH: 2500 ppm |
| 67-64-1 | TWA: 250 ppm | TWA: 2400 mg/m ³ | TWA: 250 ppm |
| | | (vacated) TWA: 750 ppm | TWA: 590 mg/m ³ |
| | | (vacated) TWA: 1800 mg/m ³ | |
| | | (vacated) STEL: 2400 mg/m ³ | |
| | | The acetone STEL does not | |
| | | apply to the cellulose acetate | |
| | | fiber industry. It is in effect for all | |
| | | other sectors. | |
| | | (vacated) STEL: 1000 ppm | |
| N-Butane | STEL: 1000 ppm explosion | (vacated) TWA: 800 ppm | IDLH: 1600 ppm |
| 106-97-8 | hazard | (vacated) TWA: 1900 mg/m ³ | TWA: 800 ppm |
| | | | TWA: 1900 mg/m ³ |
| Propane | : See Appendix F: Minimal | TWA: 1000 ppm | IDLH: 2100 ppm |
| 74-98-6 | Oxygen Content, explosion | TWA: 1800 mg/m ³ | TWA: 1000 ppm |
| | hazard | (vacated) TWA: 1000 ppm | TWA: 1800 mg/m ³ |
| | | (vacated) TWA: 1800 mg/m ³ | |

Appropriate engineering controls

Engineering controlsUse with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection Conventional eyeglasses to guard against splashing.

Skin and Body Protection Household type gloves.

label directions for correct use of the product..

General hygiene considerations Wash hands thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Aerosol

Appearance Clear liquid that will be aerosolized. Odor Perfumed.

Color Color will vary depending on the Color threshold No information available

perfume in the product.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNot applicableSolvent-based product.Melting point/freezing pointNot applicableNo information availableBoiling point/boiling rangeAcetone 133 F/56.29 CNo information availableFlash PointThis is an aerosol product for whichNo information available

Flame Projection is 12-14 inches without flashback. Temperatures above 120 F may cause cans to burst.

Evaporation Rate Faster than butyl acetate No information available

Flammability (solid, gas)

Flammability Limits in Air

No information available
No information available

Upper flammability limits Not available Lower Flammability Limit Not available

Vapor pressure No information available

Vapor DensityNo information availableRelative Density0.86 g/mlNo information availableWater solubilityInsoluble in waterNo information availableSolubility in other solventsNo information available

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition TemperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information available

Kinematic viscosity

Dynamic viscosity

No information available

Explosive properties

No information available

No information available

Other Information

Oxidizing properties

Softening pointNo information availableMolecular weightNo information available

VOC content (%) 29.63% **Density** 7.16 lb/gal

Bulk Density No information available

10. Stability and Reactivity

Reactivity

Not applicable No data available

Chemical stability

Stable.

Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures above 122 °F (50 °C).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers, inorganic acids and halogens.

Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide, carbon dioxide, hydrofluoric acid and carbonyl halides.

11. Toxicological Information

Information on likely routes of exposure

Product InformationThis product has not been tested as whole. See below for information on ingredients.

Inhalation No data available.

Eye Contact No data available.

Skin contact No data available.

Ingestion No data available.

| Chemical name | Oral LD50 | dermal LD50 | Inhalation LC50 |
|--|---------------------|--|---------------------------------------|
| Acetone 67-64-1 | = 5800 mg/kg (Rat) | > 15700 mg/kg (Rabbit) | = 50100 mg/m ³ (Rat) 8 h |
| Diethylene Glycol Monoethyl Ether 111-90-0 | = 10502 mg/kg (Rat) | = 4200 μL/kg (Rabbit) = 6 mL/kg (Rat) = 9143 mg/kg (Rabbit) | > 5240 mg/m³ (Rat) 4 h |
| N-Butane 106-97-8 | - | - | = 658 g/m³ (Rat) 4 h |
| Propane 74-98-6 | - | - | > 800000 ppm (Rat) 15 min |
| Petroleum distillates, hydrotreated light 64742-47-8 | > 5000 mg/kg(Rat) | > 2000 mg/kg (Rabbit) | > 5.2 mg/L (Rat)4 h |

Information on toxicological effects

Symptoms Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation and reddening after prolonged or repeated contact with skin.

Serious eye damage/eye irritation Irritating to eyes.

irritation May cause skin and eye irritation.

corrosivity Not applicable.

sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Not known chronic effects based on available data. None of the ingredients present in

excess of 0.1% are listed as carcinogenic by NTP, IARC or OSHA.

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 4755 mg/kg
ATEmix (dermal) 31248 mg/kg
ATEmix (inhalation-gas) 10804 mg/l
ATEmix (inhalation-dust/mist) 15 mg/l
ATEmix (inhalation-vapor) 78 mg/l

12. Ecological Information

ecotoxicity

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical name | Algae/aquatic plants | Fish | Toxicity to Microorganisms | Crustacea |
|--------------------------------------|----------------------|--|-------------------------------|----------------------------|
| Acetone | | 6210 - 8120: 96 h | EC50 = 14500 mg/L 15 min | 10294 - 17704: 48 h |
| 67-64-1 | | Pimephales promelas mg/L | _ | Daphnia magna mg/L EC50 |
| | | LC50 static 8300: 96 h | | Static 12600 - 12700: 48 h |
| | | Lepomis macrochirus mg/L | | Daphnia magna mg/L EC50 |
| | | LC50 4.74 - 6.33: 96 h | | |
| | | Oncorhynchus mykiss mL/L LC50 | | |
| Diethylene Chreel Meneethyl | | 19100 - 23900: 96 h | | 2040 4670: 48 h Danhaia |
| Diethylene Glycol Monoethyl Ether | | | | 3940 - 4670: 48 h Daphnia |
| 111-90-0 | | Lepomis macrochirus mg/L LC50 flow-through 13400: | | magna mg/L EC50 |
| 111-90-0 | | 96 h Salmo gairdneri mg/L | | |
| | | LC50 flow-through 10000: | | |
| | | 96 h Lepomis macrochirus | | |
| | | mg/L LC50 static 11400 - | | |
| | | 15700: 96 h Oncorhynchus | | |
| | | mykiss mg/L LC50 | | |
| | | flow-through 11600 - 16700: | | |
| | | 96 h Pimephales promelas | | |
| | | mg/L LC50 flow-through | | |
| Petroleum distillates, | | 2.2: 96 h Lepomis | | 4720: 96 h Den-dronereides |
| hydrotreated light | | macrochirus mg/L LC50 | | heteropoda mg/L LC50 |
| 64742-47-8 | | static 45: 96 h Pimephales | | Heteropoda mg/L LC30 |
| 04742-47-0 | | promelas mg/L LC50 | | |
| | | flow-through 2.4: 96 h | | |
| | | Oncorhynchus mykiss mg/L | | |
| | | LC50 static | | |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

| Chemical name | Partition coefficient |
|---|-----------------------|
| Acetone 67-64-1 | -0.24 |
| Diethylene Glycol Monoethyl Ether 111-90-0 | -0.8 |
| N-Butane 106-97-8 | 2.89 |
| Propane 74-98-6 | 2.3 |

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastesDispose of in accordance with federal, state and local regulations.

Contaminated packagingPressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

| Chemical name RCRA RCRA - Basis for Listing RCRA - D Series Wastes RCRA - U Series Wastes |
|---|
|---|

| Acetone | included in waste stream | m: | U002 |
|---------|--------------------------|----|------|
| 67-64-1 | F039 | | |

| Chemical name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| Acetone | Ignitable |
| 67-64-1 | |

14. Transport Information

DOT

UN/ID no Limited Quantity
Proper Shipping Name Consumer Commodity

Hazard Class ORM-D

IATA

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

IMDG

UN/ID no UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1

Marine pollutant This product does not contain marine pollutants.

15. Regulatory information

International Inventories

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product contains the following toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

| Chemical name | CAS No | weight-% | SARA 313 - Threshold Values % |
|--|----------|----------|----------------------------------|
| Diethylene Glycol Monoethyl Ether - 111-90-0 | 111-90-0 | 20-25 | 1.0 |

SARA 311/312 Hazard Categories

Acute Health Hazard yes
Chronic Health Hazard No
Fire Hazard yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------|--------------------------|----------------|--------------------------|
| Acetone | 5000 lb | | RQ 5000 lb final RQ |
| 67-64-1 | | | RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Acetone 67-64-1 | X | X | X |
| Diethylene Glycol Monoethyl Ether 111-90-0 | X | | X |
| N-Butane 106-97-8 | Х | X | Х |
| 1,1-Difluoroethane 75-37-6 | Х | X | |
| Propane 74-98-6 | Х | X | Х |

U.S. EPA Label information

EPA Pesticide registration number Not applicable

| 16. Other information | | | | |
|-----------------------|------------------|----------------|--------------------|---|
| NFPA | Health Hazards 2 | Flammability 4 | Instability 1 | Physical and chemical properties Not applicable |
| <u>HMIS</u> | Health Hazards 2 | Flammability 4 | Physical hazards 1 | Personal Protection B - Eyes and hands protection |

Prepared by Regulatory Department

Issue date 23-May-2019

Revision note

This SDS supersedes a previous SDS dated April 29, 2015.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet