# GP Georgia-Pacific

## SAFETY DATA SHEET

1. Identification

Product identifier Coastal Breeze Refill Cartridge

Other means of identification

Product code 48250

...

Recommended use

Not available.

Recommended restrictions

Take precautionary measures against static discharge.

Manufacturer/Importer/Supplier/Distributor information

Company name

Georgia-Pacific Consumer Products LP

Address

133 Peachtree Street, NE

Atlanta, GA 30303

Telephone

**Technical Information** 

866.435.5647

(M)SDS Request

404.652.5119

E-mail

MSDSREQ@GAPAC.com

Emergency phone number

Chemtrec - Emergency

800.424.9300

2. Hazard(s) identification

Emergency overview

This is a consumer care product that is safe for consumers when used according to the label

directions. May cause an allergic skin reaction.

Physical hazards

Not classified.

Health hazards

Sensitization, skin

Category 1

Environmental hazards

Hazardous to the aquatic environment, acute

Category 3

hazard

Category 3

Hazardous to the aquatic environment, long-term hazard

OSHA defined hazards

Not classified.

Label elements



Signal word

Warning

Hazard statement

May cause an allergic skin reaction. Harmful to aquatic life. Harmful to aquatic life with long

lasting effects.

Precautionary statement

Prevention

Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. In

case of prolonged or frequently repeated contact, wear protective gloves. Avoid release to the

environment

Response

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see section 4 on the SDS).

Storage

Store away from strong oxidizing agents.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical nameCommon name and synonymsCAS number%BENZYL BENZOATE120-51-43 - 7

Material name: Coastal Breeze Refill Cartridge 48250 Version #: 01 Issue date: March-24-2015

Chemical name	Common name and synonyms	CAS number	%
2,6-DIMETHYLOCT-7-EN-2-OL	Table File III	18479-58-8	1 - 5
ETHANONE, 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3 ,8,8-TETRAMETHYL-2-NAPHTHAL ENYL)-		54464-57-2	1 - 5
2,6-DI-TERT-BUTYL-P-CRESOL		128-37-0	0.5 - 1.5
BENZENEPROPANAL, 4-(1,1-DIMETHYLETHYL)ALPHA METHYL-	eade Rehil Carthoge	80-54-6	0.5 - 1.5
CYCLOHEXANOL, 4-(1,1-DIMETHYLETHYL)-, ACETATE	ila. Jugonary measures against static discratige	32210-23-4	0.5 - 1.5
ORANGE OIL	nation	8008-57-9	0.5 - 1.5
TERPENES AND TERPENOIDS, LEMON-OIL	TO ENGLISH PRODUCE OF	68917-33-9	0.5 - 1.5
Other components below reportable levels	S	C. Halling	60 - 100

#### Composition comments

This product is a multi-component mixture of fragrance ingredients. The specific chemical identities of the ingredients not listed herein are considered to be trade secrets by the manufacturer and are withheld in accordance with the provisions of 29 CFR 1910.1200.

#### 4. First-aid measures

Inhalation

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Call a physician if symptoms develop or persist. Move to fresh air.

Skin contact

Wash with soap and water. In case of eczema or other skin disorders; Seek medical attention and take along these instructions.

Eye contact

Flush eyes immediately with large amounts of water. Get medical attention if irritation develops

and persists.

Ingestion

Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

May cause an allergic skin reaction. Dermatitis. Rash. Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Keep individual under observation.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Use water spray to cool unopened containers.

Specific methods General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

### Accidental release measures

Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation and avoid contact with skin and eyes. Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS. Local authorities should be advised if significant spillages cannot be contained. Remove all sources of ignition.

Methods and materials for containment and cleaning up Sweep up and shovel into suitable containers for disposal. Contain the spill, then place in a suitable container. Collect and dispose of spillage as indicated in section 13 of the SDS. For waste disposal, see section 13 of the SDS. Prevent product from entering drains.

Environmental precautions

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. When using, do not eat, Precautions for safe handling

drink or smoke. Do not taste or swallow. Wear appropriate personal protective equipment. Avoid

release to the environment.

Conditions for safe storage, including any incompatibilities Keep containers tightly closed and dry. Store in a cool well ventilated area away from incompatible materials. Keep away from direct sunlight. Keep away from heat, sparks and open flame. Keep out of the reach of children. Store locked up. Metal containers must be lined.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Туре	Value	Form
2,6-DI-TERT-BUTYL-P-CR ESOL (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapor.
US. NIOSH: Pocket Guide to Chem	nical Hazards		menta Chroneman
Components	Туре	Value	
2,6-DI-TERT-BUTYL-P-CR ESOL (CAS 128-37-0)	TWA	10 mg/m3	modification (model)

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

General ventilation normally adequate.

## Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses or goggles if handling large quantities.

Skin protection

Hand protection In case of prolonged or frequently repeated contact, wear appropriate gloves.

Other None necessary under normal conditions of use. Wear appropriate gloves if handling large

quantities.

Respiratory protection

Under normal conditions of use respiratory protection is not expected to be required.

Thermal hazards Not applicable.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## Physical and chemical properties

Appearance

Physical state Solid. Form Solid gel Color Not available Odor Characteristic. Odor threshold Not available pΗ Not available.

140 - 185 °F (60 - 85 °C) Melting point/freezing point

Initial boiling point and boiling

range

Not available.

Flash point > 200.0 °F (> 93.3 °C)

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure

0.01 - 0.09 mm Hg estimated

Vapor density

Not available.

Relative density

0.9 - 0.98 g/cm3 estimated

Solubility(ies)

Solubility (water)

Not available.

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Decomposition temperature > 626 °F (> 330 °C) > 572 °F (> 300 °C)

Viscosity

Not available.

Other information

Flammability class

Combustible IIIB estimated

## 10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Avoid temperatures above 210 °C. Heat, flames and sparks. Extremes of temperature and direct

sunlight.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Carbon dioxide, carbon monoxide, and unburned hydrocarbons.

#### 11. Toxicological information

Information on likely routes of exposure

Inhalation Health injuries are not known or expected under normal use.

Skin contact

May cause an allergic skin reaction.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion

Not applicable under normal conditions of use. May cause gastrointestinal irritation if ingested.

Symptoms related to the physical, chemical and

toxicological characteristics

May cause an allergic skin reaction. Dermatitis. Rash. Direct contact with eyes may cause

temporary irritation.

Information on toxicological effects

Acute toxicity

Product

May cause an allergic skin reaction.

Species Coastal Breeze Refill Cartridge

Acute

Dermal

LD50 Rabbit 51324 mg/kg estimated

**Test Results** 

Rat

62454 mg/kg estimated

Inhalation

LC50

Rat

4957 mg/l/4h estimated

657 mg/l, 4 hours estimated

Material name: Coastal Breeze Refill Cartridge 48250 Version #: 01 Issue date: March-24-2015 SDS US

Product Species **Test Results** Oral LD50 Rat 31520 mg/kg estimated Components Species **Test Results** 2,6-DI-TERT-BUTYL-P-CRESOL (CAS 128-37-0) **Acute** Dermal LD50 Rat > 2000 mg/kg, 24 hours Oral LD50 Rat > 6000 mg/kg BENZYL BENZOATE (CAS 120-51-4) **Acute** Oral LD50 Rat > 2000 mg/kg TERPENES AND TERPENOIDS, LEMON-OIL (CAS 68917-33-9) Acute Oral LD50 Rat 4400 mg/kg \* Estimates for product may be based on additional component data not shown. Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation. irritation Respiratory or skin sensitization Respiratory sensitization Not classified. Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. IARC Monographs. Overall Evaluation of Carcinogenicity 2,6-DI-TERT-BUTYL-P-CRESOL (CAS 128-37-0) 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. Reproductive toxicity Not classified. Specific target organ toxicity -Not classified. single exposure Specific target organ toxicity -Not classified. repeated exposure Aspiration hazard Not applicable. Chronic effects Not hazardous under normal conditions of use. 12. Ecological information **Ecotoxicity** Harmful to aquatic life. Harmful to aquatic life with long lasting effects. Product Species **Test Results** Coastal Breeze Refill Cartridge Aquatic Acute Crustacea EC50 Daphnia 60.7933 mg/l, 48 hours estimated Fish LC50 Fish 5.4788 mg/l, 96 hours estimated

Components **Species Test Results** 

2,6-DI-TERT-BUTYL-P-CRESOL (CAS 128-37-0)

Aquatic

Acute

Crustacea

EC50

Invertebrates (Invertebrates)

0.48 mg/l, 48 hours

BENZENEPROPANAL, 4-(1,1-DIMETHYLETHYL)-.ALPHA.-METHYL- (CAS 80-54-6)

Aquatic

Crustacea

EC50

Daphnia

10.7 mg/L, 48 Hours

BENZYL BENZOATE (CAS 120-51-4)

Aquatic

Acute

Fish

LC50

Fish

0.29 mg/l, 96 hours

ETHANONE, 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)- (CAS 54464-57-2)

Aquatic

Acute

Fish

LC50

Fish

1.3 mg/l, 96 hours

TERPENES AND TERPENOIDS, LEMON-OIL (CAS 68917-33-9)

Aquatic

Acute

Fish

LC50

Fish

0.7 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Partition coefficient n-octanol / water (log Kow)

BENZYL BENZOATE

3.97

Mobility in soil

No data available.

disposal company.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### Disposal considerations

Disposal instructions

This product, if discarded, is not considered a hazardous waste under Federal Hazardous Waste Regulations 40 CFR 261. If processing, use, or contamination alters the material, the waste must be tested using methods described in 40 CFR 261 to determine if it meets applicable definitions of hazardous wastes.

The waste code should be assigned in discussion between the user, the producer and the waste

Local disposal regulations

Hazardous waste code

Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not available.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated

(SDWA)

## US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

US. Massachusetts RTK - Substance List

2,6-DI-TERT-BUTYL-P-CRESOL (CAS 128-37-0)

US. New Jersey Worker and Community Right-to-Know Act

2,6-DI-TERT-BUTYL-P-CRESOL (CAS 128-37-0)

US. Pennsylvania Worker and Community Right-to-Know Law

2,6-DI-TERT-BUTYL-P-CRESOL (CAS 128-37-0)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region

Inventory name

On inventory (yes/no)\*

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date

March-24-2015

Version #

01

Material name: Coastal Breeze Refill Cartridge 48250 Version #: 01 Issue date: March-24-2015 HMIS® ratings

NFPA ratings

Disclaimer

Health: 2 Flammability: 1 Physical hazard: 0

Health: 2 Flammability: 1 Instability: 0

This SDS is intended to quickly provide useful information to the user(s) of this material or product. It is not intended to serve as a comprehensive discussion of all possible risks or hazards, and it assumes a reasonable use of the product. The information contained in this SDS is believed to be accurate as of the date of preparation of this SDS and has been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. The user or handler (or their employer) should consider the specific conditions in which this material will be used, handled, or stored and determine what specific safety or other precautions are required. Employers should ensure that their employees, agents, contractors, and customers who will use the product receive adequate warnings and safe handling procedures, including a current SDS. Product users or handlers (or their employer) who are unsure of what specific precautions are required should consult their employer, product supplier, or safety or health professionals before handling or working with this product. Please notify us immediately if you believe this SDS or other safety and health information about this product is inaccurate or incomplete.