according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

1. PRODUCT AND COMPANY IDENTIFICATION

Product information		
Product name	:	KIWI® PARADE GLOSS™ (BLACK)
Recommended use	:	Shoe Polish
Manufacturer, importer, supplier	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Telephone Emergency telephone number	:	+18005585252 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable solids	Category 1	Flammable solid.

Labelling

Hazard symbols Flame

Signal word Danger

Hazard statements Flammable solid.

Precautionary statements

In case of fire: Use foam for extinction. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Wear protective gloves. Use explosion-proof electrical/ ventilating/ lighting/ equipment.

1/14

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

Other hazards

: None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Distillates (petroleum), hydrotreated light	64742-47-8	30.00 - 60.00
Paraffin waxes and Hydrocarbon waxes	8002-74-2	10.00 - 30.00
Benzene, 1-Chloro-4 (Trifluoromethyl)-	98-56-6	5.00 - 10.00
N-NONANE	111-84-2	1.00 - 5.00
Oleic acid	112-80-1	1.00 - 5.00
Hydrocarbon Wax, Bauxite Filtered	64742-42-3	1.00 - 5.00
Polyethylene	9002-88-4	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact	: No special requirements
Skin contact	: No special requirements
Inhalation	: No special requirements.
Ingestion	: No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards during	:	Do not use a solid water stream as it may scatter and spread
		2/14

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS	™ (BLACK)
Version 1.1	Print Date 07/02/2018
Revision Date 05/27/2015	SDS Number 350000027933 GEN_SOF Number 54249
firefighting	fire.
Further information :	Cool and use caution when approaching or handling fire- exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.
6. ACCIDENTAL RELEASE MEAS	URES
Personal precautions :	Remove all sources of ignition. Wear personal protective equipment. Wash thoroughly after handling.
Environmental : precautions	Outside of normal use, avoid release to the environment.
Methods and materials : for containment and cleaning up	Use only non-sparking equipment. Dike large spills. Clean residue from spill site.
7. HANDLING AND STORAGE	
Handling	
Precautions for safe : handling	Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS.
Advice on protection : against fire and explosion	Keep away from sources of ignition - No smoking. Ground/bond container and receiving equipment. Use explosion-proof equipment.

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	1,200 mg/m3	152 ppm	-	SUPPLIER
Paraffin waxes and Hydrocarbon waxes	8002-74-2	2 mg/m3	-	-	ACGIH TWA
N-NONANE	111-84-2	-	200 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection	:	No special requirements.
Hand protection	:	No special requirements.
Eye protection	:	No special requirements.
Skin and body protection	:	No special requirements.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: paste
Color	: black
Odor	: solvent-like
Odour Threshold	: Test not applicable for this product type
	4/14

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

рН	: Test not applicable for this product type
Melting point/freezing point	: Test not applicable for this product type
Initial boiling point and boiling range	: Test not applicable for this product type
Flash point	: 38.9 °C 102.02 °F Method: ASTM D 56
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: The substance or mixture is a flammable solid with the category 1.
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: 0.8 g/cm3 at 25 °C
Solubility(ies)	: negligible
Partition coefficient: n- octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: not auto-flammable
	5/14

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

Decomposition temperature	: Test not applicable for this product type	
Viscosity, dynamic	: Test not applicable for this product type	
Viscosity, kinematic	: Test not applicable for this product type	
Oxidizing properties	: Test not applicable for this product type	
Volatile Organic Compounds Total VOC (wt. %)*	 2.8 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations 	
Other information	: None identified	:
10. STABILITY AND REACTIVITY		
Possibility of hazardous reactions	: None known. If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.	
Possibility of hazardous reactions	: Stable under recommended storage conditions.	
Conditions to avoid	: Heat, flames and sparks.	

 Incompatible materials
 : Strong oxidizing agents

 Hazardous decomposition products
 : Thermal decomposition can lead to release of irritating gases and vapours.

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

11. TOXICOLOGICAL INFORMATION

Emergency Overview	:	Danger
Acute oral toxicity	:	LD50 > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 > 5 mg/l
Acute dermal toxicity	:	LD50 > 5,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Print Date 07/02/2018

Revision Date 05/27/2015

SDS Number 350000027933 GEN_SOF Number 54249

Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical : None known. Condition

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

End point	Species	Value	Exposure time
static test LC50	Lepomis macrochirus	2.2 mg/l	96 h
LC50	Fish	> 100 mg/l	
No data available			
No data available			
static test LC50	Pimephales promelas (fathead minnow)	205 mg/l	96 h
	LC50 LC50 No data available No data available static test	LC50 Fish LC50 Fish No data Image: Comparison of the system of the s	LC50 Fish > 100 mg/l LC50 Fish > 100 mg/l No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

Hydrocarbon Wax, Bauxite Filtered	No data available		
Polyethylene	No data available		

Toxicity to aquatic invertebrates

Distillates (petroleum), hydrotreated light	No data			time
	available			
Paraffin waxes and Hydrocarbon waxes	EC50 No data available	Daphnid	> 10,000 mg/l	
	NOEC	Daphnia	10 mg/l	
Benzene, 1-Chloro-4 (Trifluoromethyl)-	EC50	Daphnia magna (Water flea)	3.68 mg/l	48 h
N-NONANE	No data available			
Oleic acid	LC50	Daphnia magna (Water flea)	4.2 mg/l	24 h
Hydrocarbon Wax, Bauxite Filtered	No data available			
Polyethylene	No data			

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

	available			
--	-----------	--	--	--

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Distillates (petroleum), hydrotreated light	No data available			
Paraffin waxes and Hydrocarbon waxes	NOEC No data available	Algae	> 100 mg/l	
Benzene, 1-Chloro-4 (Trifluoromethyl)-	No data available			
N-NONANE	No data available			
Oleic acid	ErC50	Desmodesmus subspicatus (green algae)	58 mg/l	72 h
Hydrocarbon Wax, Bauxite Filtered	No data available			
Polyethylene	No data available			

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Distillates (petroleum), hydrotreated light	No data available		
Paraffin waxes and Hydrocarbon waxes	No data available		Not readily biodegradable.
Benzene, 1-Chloro-4 (Trifluoromethyl)-	No data available		
N-NONANE	No data available		
Oleic acid	No data available		Readily biodegradable
Hydrocarbon Wax, Bauxite Filtered	No data available		
Polyethylene	No data available		

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Distillates (petroleum), hydrotreated light	61 - 159	No data available
Paraffin waxes and Hydrocarbon waxes	No data available	No data available
Benzene, 1-Chloro-4 (Trifluoromethyl)-	121.8 - 202 Measured	3.7
N-NONANE	No data available	No data available
Oleic acid	5,413	No data available
Hydrocarbon Wax, Bauxite Filtered	No data available	No data available
Polyethylene	No data available	No data available

Mobility

Component	End point	Value
Distillates (petroleum), hydrotreated light	No data available	
Paraffin waxes and Hydrocarbon waxes	No data available	
Benzene, 1-Chloro-4 (Trifluoromethyl)-	No data available	
N-NONANE	No data available	
Oleic acid	No data available	
Hydrocarbon Wax, Bauxite Filtered	No data available	
Polyethylene	No data available	

PBT and vPvB assessment

Component	Results	
Distillates (petroleum),	Not fulfilling PBT and vPvB criteria	
hydrotreated light		
Paraffin waxes and	Not fulfilling PBT and vPvB criteria	

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

Hydrocarbon waxes	
Oleic acid	Not fulfilling PBT and vPvB criteria
Hydrocarbon Wax, Bauxite Filtered	Not fulfilling PBT and vPvB criteria
Polyethylene	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
UN number	1325	1325	1325
UN proper shipping name	UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (Petroleum Distillates), 4.1, II	UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (Petroleum Distillates), 4.1, II	UN 1325 FLAMMABLE SOLID, ORGANIC, N.O.S. (Petroleum Distillates), 4.1, II
Transport hazard	4.1	4.1	4.1
class(es)			
Packing group	II	П	II
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport documents.	transport documents.

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

15. REGULATORY INFORMATION

Notification status	:	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Notification status	:	All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).
California Prop. 65	:	This product is not subject to the reporting requirements under California's Proposition 65.

16. OTHER INFORMATION

HMIS Ratings	
Health	1
Flammability	3
Reactivity	0

NFPA Ratings

Health	1
Fire	3
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® PARADE GLOSS™ (BLACK)

Version 1.1

Revision Date 05/27/2015

Print Date 07/02/2018

SDS Number 350000027933 GEN_SOF Number 54249

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &	
	Regulatory Affairs (GSARA)	