

#### Features

- Siphon jet urinal.
- 3/4" top spud.
- 0.5 or 1.0 gpf (1.9 or 3.8 lpf) based on valve selected.
- Siphon jet.
- 3/4" top spud.
- Includes inlet and outlet spuds and hangers.
- Includes anti-backsplash wall.
- 14-1/2"(368 mm) extended rim.
- 0.5 gpf (1.9 lpf) or 1.0 gpf (3.8 lpf).

## Material

Vitreous china.

#### Water Conservation & Rebates

 WaterSense<sup>®</sup> compliant when used with WaterSense flushometer.

# **Recommended Accessories**

- K- 10675 WAVE DC 0.5 GPF Urinal Flushometer
- K- 10958 Tripoint™ DC 0.5 GPF Urinal Flushometer
- K- 10961 Tripoint<sup>™</sup> DC 1.0 GPF Flushometer
- K- 13521 Manual 1.0 GPF Urinal Flushometer

### Components

Additional included component/s: 3/4" Inlet Spud, 2" Outlet Spud, and Hanger (2 Required).





Codes/Standards ASME A112.19.2/CSA B45.1 DOE - Energy Policy Act 1992 EPA WaterSense® ADA ICC/ANSI A117.1

# KOHLER<sup>®</sup> One-Year Limited Warranty

See website for detailed warranty information.

# Available Color/Finishes

Color tiles intended for reference only.

Color Code Description
------------------------

- 0 White
- 96 Biscuit
- 47 Almond
  - 7 Black Black™




# Dexter<sup>™</sup> Urinal K-5016-ET




Dexter<sup>™</sup> Urinal K-5016-ET

\*Urinal complies with ADA requirement when rim is mounted no higher than 17" (432 mm) from finished floor. \*\*Outlet height for ADA compliance.



#### **Technical Information**

All product dimensions are nominal.	
Siphon jet	
3/4", inlet, Top	
0.5 gal (1.9 L)	



#### Notes

Install this product according to the installation guide.

Refer to manufacturer's instructions and local codes for flushometer requirements.

ADA compliant when installed to the specific requirements of these regulations.

